

INCLINATOR™





FAMILY OWNED SINCE 1922

With nearly 100 years of experience in the lift industry, P. R. King & Sons are experts in design, manufacture and installation.

Our dedicated team will be with you every step of the way, from purchase and installation to after sales support.



P. R. King & Sons Marrickville offices and showroom. 1960's



One of the first Inclinators, 1955




Window cleaning hoist, Sydney CBD. 1960's



'Inclinator'. 1960's



'Wecolator' stair lift. 1980's



Percy Robert King and his two sons, Lindsay (L) and Alex (R)



Winch for snowy scheme. 1950's

Our Pledge to You

At P. R. King & Sons, our customers are at the centre of everything we do.

We are committed to providing you with a lift of the highest quality, backed up by first class customer service.

SINGLE RAIL INCLINATOR™

In 1954 P. R. King & Sons Pty Ltd introduced a new concept in luxury living with the "Inclinator" inclined lift. Designed to eliminate the constant climbing of steps for homes built on sites with a steep access.

"Inclinator" is the registered trade name of P. R. King & Sons range of inclined passenger lifts. All the lifts are built in Australia to the Australian Standard AS1735 Part 8 and have been approved by all Lift Authorities in Australia.

The fame of the "Inclinator" has spread far and wide with units installed in places such as Fiji, Hong Kong, South America, Bali, Israel, Philipines, UK, Canada, USA and in most Australian states.









APPLICATION

Capable of carrying up to 4 passengers or 272kg's, the single rail "Inclinator" is the perfect solution to eliminate the stairs for either a commercial or residential application.

Each "Inclinator" is custom made to suit the end user's requirements with many options available to ensure that your "Inclinator" compliments your home or unit perfectly.

Push button controls from each landing and in the car combined with a variable speed drive gives the "Inclinator" a smooth ride with easy operation. It can be stopped and reversed as desired with the empty car able to be called or sent from one level to another.

SAFETY

The "Inclinator" car is strongly built and travels on a treated steel rail supported on concrete foundations. The car moves on wheels which run between the upper and lower flanges of the racked rail. The main drive gear is in constant mesh with the rack and there is absolutely no danger of the car sliding down the rail.


Safety devices, including a brake motor, a patented automatic overspeed governor and combined safety gear are fitted to make this impossible.

OUTRIGGER RAIL INCLINATOR™

Developed in 2006 to allow for wider platform sizes with increased stability achieved through the addition of an 'outrigger' C-channel rail running parallel to the main I-beam rail. The outrigger rail Inclinator™ is a unique product ideal for residential and commercial applications.

The outrigger Inclinator™ is ideal for solving access issues up to and including 120 metres and up to 45 degrees in inclination. The outrigger rail Inclinator™ is available in both 2 and 4 passenger models with platform sizes up to 1000mm in width and 1300mm in length.









TWIN RAIL INCLINATOR™

Capable of carrying up to 10 passengers or 680kg's, the twin rail "Inclinator" takes inclined travel to a new level. Travelling on twin steel 'I-beams' to manage the increased load, the twin rail "Inclinator" is the perfect solution for commercial or residential applications requiring a higher level of carriage customisation, load carrying capacity and true wheelchair access.











BUILDER'S PLATFORM

If you plan to build on a steep site, ask your architect for an estimate of what you could possibly save in material handling costs by installing an "Inclinator". This unit can be fitted with a materials only platform to help with carrying loads up to 272kg's.

When the building work is finished, your normal passenger platform can be fitted.









SERVICE AFTER INSTALLATION

P. R. King and Sons offer a comprehensive range of after sales servicing for all our customers. No matter what type of "Inclinator" you have we will ensure that it is running faultlessly. Indeed, some of our Inclinators are still running after 50 years of reliable service, our lifts are built to stand the test of time.

If you are the proud owner of any of our range of lifts we can offer varying levels of service agreements depending upon your needs. It is a Work Health and Safety 2011

requirement that any lift installed in Australia be serviced in accordance with manufacturer's recommended service intervals by a qualified lift technician and we are happy to help you with this. We also offer an after hour service for all of our lifts, should the need arise.

Please contact your nearest P. R. King & Sons office to see how we can help you get the longest trouble free life out of your lift.

OPTIONS AND CUSTOMISATION




Half-cab with folding seat, curved edges in colour mist green with clear acrylic side infill panels



Half-cab with curved edges and perforated aluminium side infill panels in colour black



Full cab with tinted Perspex dome roof, electrically interlocked manual sliding door and perforated aluminium side infill panels in colour woodlands grey



Stainless steel landing control post



Half-cab with electrically interlocked manual sliding door and perforated aluminium side infill panels in colour charcoal



Change in rail gradient available to a maximum of 8 degrees over total length of travel

COLOUR SELECTION

Offered in 5 colours, or can be customised to your specifications.










Black Charcoal Dark Green Mist Green Woodlands Grey

TECHNICAL INFORMATION - SINGLE RAIL INCLINATOR™



	INCLINATOR™ - SINGLE RAIL	INCLINATOR™ - TWIN RAIL
Rail	150 uc 37.2 with sg iron rack bolted to the top flange	Twin 150 uc 37.2 at 700mm centres with cast iron rack welded to the top flange of one rail
Cable	12 core neoprene sheathed trailing cable with a kevlar core	24 core neoprene sheathed trailing cable with a kevlar core
Rated speed	0.4 metres per second	0.4 metres per second
Safety	All units are fitted with a brake motor and an overspeed governor that activates if speed reaches 125% of rated speed	All units are fitted with a brake motor and an overspeed governor that activates if speed reaches 125% of rated speed
Maximum passengers	4	10
Rated load (kg)	272	680
Maximum angle (degrees)	45	45
Minimum angle (degrees)	14	14
Travel type	Inclined	Inclined
Power supply	Dedicated 240V single phase	Dedicated 415V 3 phase
Drive motor rating (kW)	2.2	5.5
Drive type	Rack & pinion with variable speed controller	Rack & pinion with variable speed controller
Platform size (mm)	1200 (long) x 800 (wide)	1800 (long) x 1200 (wide)
Achievable grade change	8 degrees over total length	N/A
Code compliance	AS1735 Part 8	AS1735 Part 8

INCLINATOR™

P.R.KING **SONS** PTY LTD

(1300 775 464 1300 PRKING

FAMILY OWNED SINCE 1922

www.prking.com.au

NSW OFFICE

Phone: 02 9560 7344 Fax: 02 9568 3886

Email: inclinator@prking.com.au

155 Victoria Road Marrickville NSW 2204

VIC OFFICE

Phone: 03 9748 3488 Fax: 03 9748 3597 Email: sales@prking.com.au

1/11 Motto Crt

Hoppers Crossing VIC 3029

QLD OFFICE

Phone: 07 5529 0573 Fax: 07 5537 6441 Email: qld@prking.com.au 6/8-10 Centre View Drive

6/8-10 Centre View Drive Biggera Waters QLD 4216

WA OFFICE

Phone: 08 6202 1037 Fax: 03 9748 3597

Email: perth@prking.com.au

3/4 Glory Road Gnangara WA 6077